BEST AVAILABLE COPY

ARC920010085US1 10/042,367

In	the	Cla	ims

1. (amended herein) A method of determining parameter combinations for automated web crawler access to World Wide Web content that is accessible based on parameters resulting from real user interactions with a World Wide Web site, said method comprising:

maintaining at least one log file containing user queries resulting from previous real user

Deteted; at least one set of parameters

HTML interactions with said World Wide Web site;

analyzing said log file to determine parameter combinations and to generate synthetic

Deleted: for Formatted: Indent: First line: 0.5"

queries for input to said web crawler, said web crawler using said input for automated access to said World Wide Web content.

2. (amended herein) A method of determining parameter combinations for automated access to World Wide Web content that is accessible based on parameters resulting from real user interactions with a World Wide Web site, as per claim 1, said user queries comprising entries, said analyzing step further comprising

Onletted: wherein said parameters are entries in HTML forms.

ranking entries according to their frequency of occurrence;

Deleted: in each set of entries

for a set of entries resulting from unlimited text entries, excluding entries ranked

Deleted: cach

below a predetermined number; and

Deleted: parameter combinations

Deteted: purameter combinations

wherein said synthetic queries are determined by producing combinations of entries from each set of entries.

3. (amended herein)

A method of determining parameter combinations for automated access to

World Wide Web content that is accessible based on parameters resulting from real user

interactions with a World Wide Web site, as per claim 2, wherein said synthetic queries are

determined by producing all combinations of entries from each set of entries.

Page 4 of 12

Deleted: original

ARC920010085US1 10/042,367

- 4. (original) A method of determining parameter combinations for automated access to World Wide Web content that is accessible based on parameters resulting from real user interactions with a World Wide Web site, as per claim 2, wherein entries resulting from limited text entries and unlimited text entries have stop words removed and remaining words stemmed.
- 5. (original) A method of determining parameter combinations for automated access to World Wide Web content that is accessible based on parameters resulting from real user interactions with a World Wide Web site, as per claim 1, wherein said log file is maintained by a proxy server that logs communications between a client and a Web server resulting from real user accesses to said World Wide Web content.

6. (cancel) A method of determining parameter combinations for automated access to World Wide Web content that is accessible based on parameters resulting from real user interactions with a World Wide Web site, as per claim 1, wherein said content is automatically accessed using said parameter combinations.

7. (amended herein) A method of increasing web crawler penetration of Web databases accessible via HTML forms, said method comprising:

reviewing previous real user form input data;

identifying possible <u>HTML</u> form input data for said Web crawler from said previous real user form input data by synthesis of entries for any of: predefined sets, limited text entries or unlimited text entries; and

Page 5 of 12

providing said identified form input data to said Web crawler during an instantiation of automated access to said Web databases by said Web crawler.

- 8. (currently amended)

 A method of increasing web crawler penetration of Web databases accessible via HTML forms, as per claim 7, wherein said previous form input data are maintained in a log file.
- 9. (original) A method of increasing web crawler penetration of Web databases accessible via HTML forms, as per claim 8, wherein said log file is maintained by a proxy server.
- 10. (original) A method of increasing web crawler penetration of Web databases accessible via HTML forms, as per claim 7, wherein said synthesis comprises:

ranking any entries for predetermined sets;
ranking any entries for limited text entries;
ranking any entries for unlimited text entries;
excluding entries for unlimited text entries ranked below a predetermined number;

11. (original) A method of increasing web crawler penetration of Web databases accessible via

HTML forms, as per claim 10, wherein said synthesis further comprises:

pairing entries from each set of ranked entries.

and

removing stop words and stemming remaining words for entries resulting from limited text entries and unlimited text entries.

Page 6 of 12

12. (cancel) A method of determining entries for input items of an HTML form for automated accesses to content contained in a Web database behind said HTML form, said method comprising:

13. (cancel) A method of determining entries for input items of an HTML form for automated accesses to content contained in a Web database behind said HTML form, as per claim 12, wherein said log file contains at least one set of entries, said analyzing step further comprising

ranking entries in each set of entries according to their frequency of occurrence;

for each set of entries resulting from unlimited text entries, excluding entries ranked below a predetermined number; and

wherein said automated parameter combinations are determined by producing combinations of entries from each set of entries

- 14. (cancel) A method of determining entries for input items of an HTML form for automated accesses to content contained in a Web database behind said HTML form, as per claim 13, wherein said parameter combinations are determined by producing all combinations of entries from each set of entries.
- 15. (cancel) A method of determining entries for input items of an HTML form for automated accesses to content contained in a Web database behind said HTML form, as per claim 13, wherein entries resulting from limited text entries and unlimited text entries have stop words removed and remaining words stemmed.

Page 7 of 12

16. (cancel) A method of determining entries for input items of an HTML form for automated accesses to content contained in a Web database belijind said HTML form, as per claim 12, wherein said log file is maintained by a proxy server that logs communications between a client and a Web server resulting from real user accesses to said World Wide Web content.

17. (amended herein) A method of emulating real user access to World Wide Web content dynamically accessible via an HTML form, said method comprising:

maintaining a log containing real user entries into each input item of said HTML form;

ranking entries for each input item according to their frequency of occurrence;

for each unlimited text entry input item, excluding entries ranked below a predetermined number;

determining combinations of entries from each set of entries; and automatically accessing said content using said combinations of entries as HTML input for a webcrawler.

- 18. (original) A method of emulating real user accessite World Wide Web content dynamically accessible via an HTML form, as per claim 17, wherein entries resulting from limited text entries and unlimited text entries have stop words removed and remaining words stemmed.
- 19. (original) A method of emulating real user accessint World Wide Web content dynamically accessible via an HTML form, as per claim 17, wherein said log file is maintained by a proxy

Page 8 of 17

server that logs communications between a client and a Web server resulting from real user accesses to said World Wide Web content.

20. (cancel) An article of manufacture comprising a computer usable medium having computer readable program code embed therein to determine parameter combinations for automated access to World Wide Web content that is accessible based on parameters resulting from user interactions with a World Wide Web size, said computer readable program code comprising:

computer readable program code for maintaining at least one log file representative of real user interactions with said World Wide Web site;

computer readable program code 10 analyzing said log file to determine parameter combinations for automated access to said World Wide Web content.

21. (cancel) An article of manufacture comprising a computer usable medium having computer readable program code embed therein to determine parameter combinations for automated access to World Wide Web content that is accessible based on parameters resulting from user interactions with a World Wide Web site, as per claim 20, wherein said parameters are entries in HTML forms, said computer readable program code for analyzing further comprising

computer readable program code for ranking entries in each set of entries according to their frequency of occurrence; and

computer readable program code for bach set of entries resulting from unlimited text entries, excluding entries ranked below a predetermined number; and

wherein said parameter combinations are determined by producing combinations of entries from each set of entries.

Page 9 of 17

22. (cancel) An article of manufacture comprising a computer usable medium having computer readable program code embed therein to determine parameter combinations for automated access to World Wide Web content that is accessible based on parameters resulting from user interactions with a World Wide Web site; as per claim 21, wherein said parameter combinations are determined by producing all combinations of entries from each set of entries.

23. (cancel) An article of manufacture comprising a computer usable medium having computer readable program code embed therein to determine parameter combinations for automated access to World Wide Web content that is accessible based on parameters resulting from user interactions with a World Wide Web site. as per claim 21, wherein entries resulting from limited text entries and unlimited text entries have stop words removed and remaining words stemmed.

24. (cancel) An article of manufacture comprising a computer usable medium having computer readable program code embed therein to determine parameter combinations for automated access to World Wide Web content that is accessible based on parameters resulting from user interactions with a World Wide Web site, as per claim 20, wherein said log file is maintained by a proxy server that logs communications between a client and a Web server resulting from real user accesses to said World Wide Web content.

25. (cancel) An article of manufacture comprising a computer usable medium having computer readable program code embed therein to determine parameter combinations for automated access to World Wide Web content that is accessible based on parameters resulting

ARC920010085051 10/042.367

from user interactions with a World Wide Web site as per claim 20, wherein said content is automatically access using said parameter combinations.

Page 11 of 1

As this amendment has been timely filed within the set period of response, no petition for extension of time or associated fee is required. However, the Commissioner is hereby authorized to charge any deficiencies in the fees provided to Deposit Account No. 09-0441.

If it is felt that an interview would expedite projecution of this application, please do not hesitate to contact applicants' representative at the below number.

Respectfully submitted,

Je Casa

Randy W. Lacasse Registration No. 14,368

1725 Duke Street Suite 650 Alexandria, Virginia 22314 (703) 838-7683 March 14, 2005

Page 12 of 12

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

The second second second second

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
V
🖾 BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
\checkmark
BLURRED OR ILLEGIBLE TEXT OR DRAWING
SKEWED/SLANTED IMAGES
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
COLOR OR BEACK AND WHITE I HOTOGRAFIES
☐ GRAY SCALE DOCUMENTS
\checkmark
LINES OR MARKS ON ORIGINAL DOCUMENT
_[1]
\square° Reference(s) or exhibit(s) submitted are poor quality
☐ OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.